



VPI00-115

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Not Yet Known
Group Art Unit: Not Yet Known
Applicants: Kuida et al.,
Serial No.: 09/922,584
Filing Date: August 3, 2001
For: ERK-5 DEFICIENT ANIMALS AND METHODS
OF INHIBITING ANGIOGENESIS THROUGH
THE INHIBITION OF ERK-5

Cambridge, Massachusetts
December 2, 2001


Hon. Assistant Commissioner
For Patents
Washington, D.C. 20231

VERIFIED STATEMENT UNDER 37 C.F.R. §1.821(f)

Sir:

I declare that the information recorded in computer readable form attached hereto is identical to the written sequence listing in the application, filed August 3, 2001.

Respectfully submitted,



Andrea L.C. Robidoux
(Reg. No. 47,902)
Agent for Applicants
Vertex Pharmaceuticals Inc.,
130 Waverly Street
Cambridge, MA 02193-4242
(617) 444-6731
(617) 444-6438 (fax)



VPI00-115CIP.ST25
SEQUENCE LISTING

<110> Vertex Pharmaceuticals Incorporated

<120> ERK-5 DEFICIENT ANIMALS AND METHODS OF INHIBITING ANGIOGENESIS
THROUGH THE INHIBITION OF ERK-5

<130> VPI/00-115 CON

<140> US09/888,182

<141> 2001-06-22

<150> US09/888,182

<151> 2001-06-22

<160> 6

<170> PatentIn version 3.0

<210> 1

<211> 26

<212> DNA

<213> Artificial sequence

<400> 1

cagccattcg atgtgggccc acgcta

26

<210> 2

<211> 25

<212> DNA

<213> Artificial sequence

<400> 2

tataacattc tcatggcgga atcgc

25

<210> 3

<211> 802

<212> DNA

<213> Mus musculus

<220>

<221> misc_difference

<222> (1)..(802)

<223> Wherein n is selected from any nucleic acid

<400> 3

VPI00-115CIP.ST25

cggnacctac tgtgccctat ggaggaattc agatctgtgt aaggagtggt gccaggagga
 60
 ggagacacag tgggatcag cttagaagcc cagggtcagt aatactgaag ttctggcagg 1
 20
 gcggttgaac ccagagtgat gcgggctgtg agtccaggac attggtaggg acagttctta 1
 80
 tctctcaaga gggcaagggc tggggatgtc gatcactggt aggctgatga gcctctttga 2
 40
 ggtttttaggt tgactctcct gtacaaaagg ggaaaagaat caagaggatt tacctcttta 3
 00
 tgggtcatgcc acctttgggtt atatcataag ttcaaggcta gtctagaccc tgttccaaaa 3
 60
 gacaaaacan aaaaccnaaa cagcaatnta nganaaggga gagagggcnc agacngnccg 4
 20
 ggacagatcc aaattgtaag acaacggaca caatacattg tagtgtcaca cagcagtgtc 4
 80
 ctcatggcag acaactaatt attcacagaa tacctcctta aaaatagagt cttcaacata 5
 40
 gctttttcag tagctgttgg caaactgtag agtttgetct aaaattaacc atactggcca 6
 00
 atcttggttag atttgaatat ttctataaaa aaaatttttt ttgacagaaa ttangtccat 6
 60
 ggagaaagtg atttgtcaga aagcttgtaa aaaagtgttg ggctnggaaa aaacccgatt 7
 20
 cggtgattaa gatcactcga tcttttaaaa gggacttggc tttaantncc ataatggnct 7
 80
 ttcaccgggg ggcntaaact tt 8
 02

<210> 4
 <211> 794
 <212> DNA
 <213> Mus musculus

<220>
 <221> misc_difference
 <222> (1)..(794)

<223> Wherein n is selected from any nucleic acid

<400> 4

gattnaagat cccctcgatn tttnaaaagg acttggnttc aagggaanag ngtnntnncg
60

gggggnaact tgaattggga cnccggtggt gggatcanac tcctctcttn gcctctgta 1
20

naccagggc acccaagtag tacacatacg ttcaggaaan catacacata cgtttaagaa 1
80

aactttataa aagttgtggc cagncggtgg tggcgcatgc ctttaatccc agcactgggg 2
40

aggcagaggc aggcatatct cttgagtttt gggtttgagg ccaacctggg ctacaagagc 3
00

aagcaagttc caggccagat aaggctacac agacatcttg tcttgaaaaa aagaaagaaa 3
60

gaatgaaagt tgtagaaaac ctaaaacccg gtgnnnaant ccncncttcc catgntgtta 4
20

gtcctttggg gtttcactgt aaggccataa cctcaggaat tgggagtgcc aggggacgga 4
80

gtgccagggg gggcttctcc ctgtgatgtg aggaggctag ctcacccggt tcttcccatt 5
40

ttcagctatg tggactgga cctcatggag agcgacctac accagatcat tcaactctca 6
00

cagccgctca ccttgaaca tgtgagatac ttctgtacc agctgcttcg gggcctcaaa 6
60

tacatgcact ctgctcaggt catccaccgt gatcttaaac cctctaacct tctggtcaat 7
20

gagaactgtg agctcaagat cggtgacttt ggaatggccc gtggcctctg tacttcccc 7
80

tgccgagcac caga 7
94

<210> 5

<211> 632

<212> DNA

<213> Mus musculus

<220>
 <221> misc_difference
 <222> (1)..(632)
 <223> Wherein n is selected from any nucleic acid

<400> 5
 caatcacggg tntnagntca ggntcaagca tggtgccaat gntgagaggc nactccatgg
 60
 cacagttcca cttgagccca gggatggcat ctcaacatct ggacacacag gtcactagc 1
 20
 cacaggctgc ananaagntg gaacgnattg ttgnccgaatg cctccngtc gtgcatgaaa 1
 80
 gtcttcattc tcagccacaa tggcctcctt aatgcgctcc ctggtaaggg cttcacgggt 2
 40
 caaaagcaaa gtcaaaagggt ggggcgcaat caggctcatc atcagggtca tgggtacttag 3
 00
 ccagaagggg tgcgaaggca gcagcagtna gattcgggcn ctgggttcaa ntcgcaccat 3
 60
 gcgtcccagc agggagaggg cctggcggtc agcacctggg tatactgtct cccaaggcac 4
 20
 aggttgccct ggtggcaggc tctggatata ggctcgcacc ctttcagccc ccacagcctg 4
 80
 aatcacagct ggtgacggag ttcccaacac catcatgatc agctgtaact ggtgcacgta 5
 40
 gtttttgccct ggggaagagct ggcgccgagc cagcatctca ccaaagatgc agcccacaga 6
 00
 ccagaggctg attgcctgcg gtatactcgt gc 6
 32

<210> 6
 <211> 617
 <212> DNA
 <213> Mus musculus

<220>
 <221> misc_difference
 <222> (1)..(617)
 <223> Wherein n is selected from any nucleic acid

<400> 6

ggcaggtacc gcgttagnac cnnttateng aaccenntgt ttntencagn nnagenntat
60ttaaccttgn aanagtttt tccctgagge caagatagca natangcten nnggagnnen 1
20aaaaaagttt tgttctaaga ccanngaata ggcagaatga agtggngaana gattagggag 1
80antctggaat gacctnanta tggtagtag gaagggaaga aggatcagtt aatncagtca 2
40caancnntg ctaactaacg ngcctcctnt ttatgtaage nattagcanc ngtttcnnga 3
00ggcagttgga aattaataatn ttgatatatg ttacacacag ggccttgac cacagtaggg 3
60acttnatggn ntntgggntc cagaagagca gtgctgaagg gacctgcage taacttgaag 4
20gtactctctg gtatatgcc ttttctgct cccagggcca gcaggtggcc atcaagaaga 4
80tacctaatac ttttgatgtg gtgaccaatg ccaaacggac cctcaggag ctgaagatcc 5
40tcaaacactt caaacacgac aatatcatcg ccatcaagga catcctgaag cctactgtgc 6
00cctatggaga attcttc 6
17